

Compact Sand Washer GRITSEP LCS



HIGH PERFORMANCE GRIT WASHER

GRITSEP LCS is a Sand Washer with high performances obtained thanks to SINT® engineering polymer components with excellent anti-wear features.

The machine consists of a washing chamber with a vertical extracting screw.

The washing chamber is equipped with mixing tools and an air-water injection system. The state of the material can be monitored through a porthole.

The compact design of the GRITSEP LCS makes it suitable for a number of applications.

Technical Features

- Mixing tools and extraction screw conveyor manufactured from SINT® engineering polymer
- Washing chamber lined with SINT® engineering polymer
- Integrated touch screen control panel
- Inspection porthole
- Solid throughput: from 0.10 m³/h up to 0.40 m³/h



SINT® Engineering Polymer
Mixing Tool



Washing Chamber with Anti-
abrasion SINT® Engineering
Polymer Liner



Control Panel



SINT® Engineering Polymer
Screw Conveyor




MODEL	Average Sand Extraction (m ³ /h)	Installed Power kW	Tank Capacity (lt)	Water Consumption at 3 BAR (lt/min)
LCS 100	0.1	0.55	370	12
LCS 400	0.4	1.10	1,110	30

Benefits

- ✓ High washing performance with organic residue < 2%
- ✓ Engineering polymer anti-wear components
- ✓ Plug and play
- ✓ Minimum footprint



Overall Dimensions



MODEL	A	B	C	D	E	F	G	H	Water outlet
LCS 100	1,970	1,224	653	1,532	168	1,520	1,130	990	DN100
LCS 400	2,413	1,544	1,088	2,019	273	1,844	1,419	1,522	DN150

For reference only; for detailed drawings contact the Manufacturer

Dimensions in mm

Application



203001341 April 2018 Rights reserved to modify technical specifications.

This brochure has been edited for distribution in European Union countries



SAVECO™
Member of WAMGROUP®



www.saveco-water.com